



protein S deficiency

Protein S deficiency is a disorder of blood clotting. People with this condition have an increased risk of developing abnormal blood clots.

Individuals with mild protein S deficiency are at risk of a type of clot called a deep vein thrombosis (DVT) that occurs in the deep veins of the arms or legs. If a DVT travels through the bloodstream and lodges in the lungs, it can cause a life-threatening clot known as a pulmonary embolism (PE). Other factors can raise the risk of abnormal blood clots in people with mild protein S deficiency. These factors include increasing age, surgery, immobility, or pregnancy. The combination of protein S deficiency and other inherited disorders of blood clotting can also influence risk. Many people with mild protein S deficiency never develop an abnormal blood clot, however.

In severe cases of protein S deficiency, infants develop a life-threatening blood clotting disorder called purpura fulminans soon after birth. Purpura fulminans is characterized by the formation of blood clots within small blood vessels throughout the body. These blood clots disrupt normal blood flow and can lead to death of body tissue (necrosis). Widespread blood clotting uses up all available blood clotting proteins. As a result, abnormal bleeding occurs in various parts of the body and is often noticeable as large, purple skin lesions. Individuals who survive the newborn period may experience recurrent episodes of purpura fulminans.

Frequency

Mild protein S deficiency is estimated to occur in approximately 1 in 500 individuals. Severe protein S deficiency is rare; however, its exact prevalence is unknown.

Genetic Changes

Protein S deficiency is caused by mutations in the *PROS1* gene. This gene provides instructions for making protein S, which is found in the bloodstream and is important for controlling blood clotting. Protein S helps block the activity of (inactivate) certain proteins that promote the formation of blood clots.

Most mutations that cause protein S deficiency change single protein building blocks (amino acids) in protein S, which disrupts its ability to control blood clotting. Individuals with this condition do not have enough functional protein S to inactivate clotting proteins, which results in the increased risk of developing abnormal blood clots. Protein S deficiency can be divided into types I, II and III based on how mutations in the *PROS1* gene affect protein S.

Inheritance Pattern

Protein S deficiency is inherited in an autosomal dominant pattern, which means one altered copy of the *PROS1* gene in each cell is sufficient to cause mild protein S deficiency. Individuals who inherit two altered copies of this gene in each cell have severe protein S deficiency.

Other Names for This Condition

- hereditary thrombophilia due to protein S deficiency

Diagnosis & Management

Genetic Testing

- Genetic Testing Registry: Protein S deficiency
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C2676728/>

Other Diagnosis and Management Resources

- MedlinePlus Encyclopedia: Congenital Protein C or S Deficiency
<https://medlineplus.gov/ency/article/000559.htm>
- MedlinePlus Encyclopedia: Necrosis
<https://medlineplus.gov/ency/article/002266.htm>
- MedlinePlus Encyclopedia: Protein S
<https://medlineplus.gov/ency/article/003660.htm>
- MedlinePlus Encyclopedia: Purpura
<https://medlineplus.gov/ency/article/003232.htm>

General Information from MedlinePlus

- Diagnostic Tests
<https://medlineplus.gov/diagnostictests.html>
- Drug Therapy
<https://medlineplus.gov/drugtherapy.html>
- Genetic Counseling
<https://medlineplus.gov/geneticcounseling.html>
- Palliative Care
<https://medlineplus.gov/palliativecare.html>
- Surgery and Rehabilitation
<https://medlineplus.gov/surgeryandrehabilitation.html>

Additional Information & Resources

MedlinePlus

- Encyclopedia: Congenital Protein C or S Deficiency
<https://medlineplus.gov/ency/article/000559.htm>
- Encyclopedia: Necrosis
<https://medlineplus.gov/ency/article/002266.htm>
- Encyclopedia: Protein S
<https://medlineplus.gov/ency/article/003660.htm>
- Encyclopedia: Purpura
<https://medlineplus.gov/ency/article/003232.htm>
- Health Topic: Blood Clots
<https://medlineplus.gov/bloodclots.html>
- Health Topic: Deep Vein Thrombosis
<https://medlineplus.gov/deepveinthrombosis.html>
- Health Topic: Pulmonary Embolism
<https://medlineplus.gov/pulmonaryembolism.html>

Genetic and Rare Diseases Information Center

- Protein S deficiency
<https://rarediseases.info.nih.gov/diseases/4524/protein-s-deficiency>

Additional NIH Resources

- National Heart Lung and Blood Institute: Deep Vein Thrombosis
<https://www.nhlbi.nih.gov/health/health-topics/topics/dvt/>
- National Heart Lung and Blood Institute: Pulmonary Embolism
<https://www.nhlbi.nih.gov/health/health-topics/topics/pe/>

Educational Resources

- Disease InfoSearch: Protein S deficiency
<http://www.diseaseinfosearch.org/Protein+S+deficiency/6003>
- MalaCards: protein s deficiency
http://www.malacards.org/card/protein_s_deficiency
- Merck Manual Home Edition for Patients and Caregivers: Thrombophilia
<http://www.merckmanuals.com/home/blood-disorders/excessive-clotting/excessive-clotting>
- Orphanet: Hereditary thrombophilia due to congenital protein S deficiency
http://www.orpha.net/consor/cgi-bin/OC_Exp.php?Lng=EN&Expert=743

Patient Support and Advocacy Resources

- National Blood Clot Alliance
<https://www.stoptheclot.org/>

Scientific Articles on PubMed

- PubMed
<https://www.ncbi.nlm.nih.gov/pubmed?term=%28Protein+S+Deficiency%5BMAJR%5D%29+AND+%28protein+S+deficiency%5BTIAB%5D%29+AND+english%5Bla%5D+AND+human%5Bmh%5D+AND+%22last+1080+days%22%5Bdp%5D>

OMIM

- THROMBOPHILIA DUE TO PROTEIN S DEFICIENCY, AUTOSOMAL DOMINANT
<http://omim.org/entry/612336>

Sources for This Summary

- Castoldi E, Hackeng TM. Regulation of coagulation by protein S. *Curr Opin Hematol*. 2008 Sep; 15(5):529-36. doi: 10.1097/MOH.0b013e328309ec97. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/18695379>
- García de Frutos P, Fuentes-Prior P, Hurtado B, Sala N. Molecular basis of protein S deficiency. *Thromb Haemost*. 2007 Sep;98(3):543-56. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/17849042>
- Hackeng TM, Maurissen LF, Castoldi E, Rosing J. Regulation of TFPI function by protein S. *J Thromb Haemost*. 2009 Jul;7 Suppl 1:165-8. doi: 10.1111/j.1538-7836.2009.03363.x. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/19630792>
- Pintao MC, Garcia AA, Borgel D, Alhenc-Gelas M, Spek CA, de Visser MC, Gandrille S, Reitsma PH. Gross deletions/duplications in PROS1 are relatively common in point mutation-negative hereditary protein S deficiency. *Hum Genet*. 2009 Sep;126(3):449-56. doi: 10.1007/s00439-009-0687-9. Epub 2009 May 23.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/19466456>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3774415/>
- Ten Kate MK, Platteeel M, Mulder R, Terpstra P, Nicolaes GA, Reitsma PH, van der Steege G, van der Meer J. PROS1 analysis in 87 pedigrees with hereditary protein S deficiency demonstrates striking genotype-phenotype associations. *Hum Mutat*. 2008 Jul;29(7):939-47. doi: 10.1002/humu.20687.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/18435454>
- ten Kate MK, van der Meer J. Protein S deficiency: a clinical perspective. *Haemophilia*. 2008 Nov; 14(6):1222-8. doi: 10.1111/j.1365-2516.2008.01775.x. Epub 2008 May 7. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/18479427>

Reprinted from Genetics Home Reference:

<https://ghr.nlm.nih.gov/condition/protein-s-deficiency>

Reviewed: October 2009
Published: March 21, 2017

Lister Hill National Center for Biomedical Communications
U.S. National Library of Medicine
National Institutes of Health
Department of Health & Human Services